

Full HD, mobile projector for the office and home with 3LCD technology, WUXGA resolution and flexible, easy-to-use features

Whether delivering crisp, clear presentations or viewing films and family photos on a big screen, the stylishly-designed EB-U32 is ideally suited for both the office and home. Easy to move and quick to set-up, users can start watching exceptional-quality content in no time at all.

High-quality, bright images

Experience Full HD images that are three-times brighter than competitor products ¹ thanks to 3LCD technology and equally high White and Colour Light Output. View your content like never before and pick out even the finest detail with crisp, clear blacks creating clearly defined shadows, all thanks to a 15,000:1 contrast ratio.

Built-in wireless connectivity

Ideal for the office environment, the projector allows users to get started right out of the box. Create collaborative and productive meetings and share a range of content across various locations thanks to built-in connectivity options.

The big picture

Able to take content from a range of sources and display it up to a massive 300 inches, the EB-U32 has dual HDMI inputs to allow users to broadcast highquality digital video and audio content. You can even project photos and documents straight from a smartphone or tablet with Epson's iProjection app².

Keep costs down

With a long air filter maintenance cycle and lamp life of 10,000 hours in eco mode, users won't need to waste time and money on maintenance.

Everything included for fuss-free installation

An included carry case makes for easy movement of the projector from room to room. Horizontal and vertical keystone correction means the projector can be installed in a number of places without distorting the image.

KEY FEATURES

- Full HD, bright images 3LCD technology and equally high White and Colour Light Output
- Contrast ratio of 15,000:1 Deep, rich blacks and dense shadow areas
- Wirelessly connectivity Built-in Wi-Fi
- Low TCO Lamp and filter life of 10,000 hours
- Versatile and flexible control Project from different sources with 2xHDMI inputs and mobile² connectivity





PRODUCT SPECIFICATIONS

TECHNOLOGY	
Projection System	3LCD Technology
LCD Panel	0.67 inch with MLA (D10)
IMAGE	
Colour Light Output	3,200 lumen-2,240 lumen (economy) In accordance with IDMS15.4
White Light Output	3,200 lumen - 2,240 lumen (economy) in accordance with ISO 21118:2012
Resolution	WUXGA, 1920 x 1200, 16:10
Contrast Ratio	15,000 : 1
Lamp	200 W, 5,000 h durability, 10,000 h durability (economy mode)
Keystone Correction	Auto vertical: \pm 30 °, Manual horizontal \pm 30 °
Colour Reproduction	Upto 1.07 billion colours
Projection Ratio	1.38 - 1.68:1
Zoom	Manual, Factor: 1.2
Projection Size	30 inches - 300 inches
-	le 1.8 m - 2.17 m (60 inch screen)
Projection Lens F Number	1.5 - 1.71
Focal Distance Focus	20.42 mm - 24.5 mm Manual
Offset	10:1
CONNECTIVITY	
USB Display Function	3 in 1: Image / Mouse / Sound
Interfaces	USB 2.0 Type A, USB 2.0 Type B, Wireless LAN IEEE 802.11b/g/n, VGA in, HDMI in (2x),
	Composite in, MHL, Cinch audio in
Epson iProjection App	Ad-Hoc / Infrastructure
ADVANCED FEATURES	
Security	Kensington lock, Padlock, Security cable hole, Wireless LAN security, Password protection
3D	No
Features	AV Mute Slide, Built-in speaker, Direct Power on/off, Document Camera Compatible,
	Horizontal and vertical keystone correction, Long lamp life, MHL audio/video interface,
	Network projection, OSD copy function, PC Free, Split-Screen-Function, Wireless LAN
	capable, iProjecton set-up by QR code
Video Colour Modes	Blackboard, Cinema, Dynamic, Presentation, sRGB
GENERAL	
Energy Use	277 W, 207 W (economy), 0.26 W (standby)
Product dimensions	297 x 244 x 77 mm (Width x Depth x Height)
Product weight	2.6 kg
Noise Level	Normal: 37 dB (A) - Economy: 28 dB (A)
Included Software	EasyMP Monitor, EasyMP Multi PC Projection, EasyMP Network Projection
Loudspeaker	2 W
Colour	White
OTHER	
Warranty	36 months On site service, Lamp: 12 months or 1,000 h
	Optional warranty extension available

EB-U32

WHAT'S IN THE BOX

- Carrying bag
- Computer cable
- Main unit
- Power cable
- Remote control incl. batteries
- User's Manual Set
- Warranty Documents



OPTIONAL ACCESSORIES

- Air Filter ELPAF32 V13H134A32
- Ceiling Mount (White) ELPMB23 V12H003B23
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- Lamp ELPLP88 EB-9xxH/S27/X27/W29 V13H010L88
- Screen (80" Pantograph 16:10) ELPSC24 V12H002S24
- Screen (80" Multi-Aspect) ELPSC26 V12H002S26
- Screen (50" Desktop type) ELPSC32 V12H002S32
- Quick Wireless Connect USB key ELPAP09 V12H005M09

LOGISTICS INFORMATION

SKU	V11H722040 V11H722041
EAN code	8715946552255
Dimensions Single Carton	365 x 400 x 160 mm
Carton Weight	4.23 Kg
Multiple Order Quantity	1 Units
Country of Origin	Philippines
Pallet Size Euro	78 Units (6 x 13)



* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece 210-8099499 Hungary 06800 147 83 Ireland 01 436 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway 447 67 11 37 00 Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429

South Africa (+2711) 465-9621 Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min) Switzerland 022 592 7923 Turkey (0212) 3360303 United Kingdom 0871 222 6702

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

1. - Compared to leading 1-chip DLP business and education projectors based on NPD data, July 2011 through June 2012. Colour Brightness (Colour Light Output) measured in accordance with IDMS 15.4. Colour Brightness will vary depending on usage conditions.



EB-U32