

# ViewSonic M1+ Specs

## Image Display

---

Display System	DLP
Native Chip Resolution	854 x 480 (WVGA)
Supported Resolutions	Maximum: Full HD 1080p - 1920 x 1080
Max Brightness	250 Lumens
Aspect Ratio	Native: 16:9
Dynamic Contrast Ratio	120,000:1
Color Depth	10-Bit Dithering (1.07 Billion Colors)
Scan	Horizontal: 15 to 135 kHz Vertical: 23 to 120 Hz

## Lens

---

Focus	Manual
Optical Zoom	<i>None</i>

Throw Distance	25 - 105" / 63.5 - 266.7 cm
----------------	-----------------------------

---

Throw Ratio	1.2:1
-------------	-------

---

Projection Size	24 - 100" / 60.96 - 254.00 cm
-----------------	-------------------------------

---

## Features

---

Keystone Correction	Vertical: $\pm 40^\circ$
---------------------	--------------------------

---

Ceiling Mountable	Yes
-------------------	-----

---

Rear Screen Projection	Yes
------------------------	-----

---

Built-In Speaker	Yes (Stereo)
------------------	--------------

---

Speaker Power	6W
---------------	----

---

Projection Tilt Option	Yes
------------------------	-----

---

## Input/Output Connectors

---

Inputs/Outputs	<b>1 x</b> HDMI (HDMI Type-A) Audio, Video Input <b>1 x</b> USB 2.0 (USB Type-A) Data <b>1 x</b> USB 3.1 Gen 1 (USB Type-C) Data, Power <b>1 x</b> 1/8" / 3.5 mm Mini Audio Output
----------------	---

---

Memory Card Slot	<b>1 x</b> microSD (Unspecified Type)
------------------	---------------------------------------

---

## Hardware

---

Internal Storage	16.0GB
------------------	--------

---

Wireless LAN / Wi-Fi	Yes, Built-in
----------------------	---------------

---

## General

---

Light Source	LED
--------------	-----

---

Lamp Power	10 W
------------	------

---

Expected Lamp Life	Low Brightness: 30,000 Hours
--------------------	------------------------------

---

Supported Document File Types	DOC, DOCX, PDF, PPT, PPTX, XLS, XLSX
-------------------------------	--------------------------------------

---

Supported Video File Types	AVI, M2TS, M4V, MKV, MOV, MP4, MPG, MTS, TP, TRP, TS, VOB, Xvid
----------------------------	---

---

Supported Languages	Arabic Brazilian Portuguese Bulgarian Croatian Czech Danish Dutch English Estonian Farsi Finnish French
---------------------	--

German  
Greek  
Hebrew  
Hindi  
Hungarian  
Indonesian  
Italian  
Korean  
Latin American Spanish  
Malaysian  
Norwegian  
Polish  
Portuguese  
Romanian  
Russian  
Serbian  
Simplified Chinese  
Slovak  
Slovenian  
Spanish  
Swedish  
Thai  
Traditional Chinese  
Turkish  
Ukrainian  
Vietnamese

---

AC Input Power                      100 to 240 VAC, 50 / 60 Hz

---

Power Consumption                Full Brightness: 55 W  
Standby Mode (Lamp Off): <0.5 W

---

Operating Temperature            32 to 104°F / 0 to 40°C

---

Operating Humidity                0 - 90%

---

Dimensions (W x H x D)           5.8 x 1.6 x 5.0" / 14.7 x 4.1 x 12.7 cm

---

Weight                                1.5 lb / 680 g

---

## Packaging Info

---

Package Weight 3.97 lb

---

Box Dimensions (LxWxH) 8.7 x 7.5 x 4.7"

---